|    | Туре | L#  | H    | Search Text   | DBs   |
|----|------|-----|------|---|---|
| 1  | BRS  | L1  | 1036 | (routing or routed or route! or routes! or router\$1) with databases!                                       | USPAT; US-PGPUB;<br>EPO; JPO;<br>DERWENT;   |
| 2  | BRS  | L2  | 5885 | (routing or routed or route! or routes! or router\$1) with database\$1                                      | UBSPATPBUS-PGPUB;<br>EPO; JPO;<br>DERWENT;  |
| 3  | BRS  | L3  | 2709 | 2 and databases!  | US PAT PEUS-PGPUB;<br>EPO; JPO;<br>DERWENT; |
| 4  | BRS  | L4  | 527  | 3 and (updat\$3 or modif\$6) near6<br>databases!  | USMPATP®S-PGPUB;<br>EPO; JPO;<br>DERWENT;   |
| 5  | BRS  | L5  | 512  | 4 and (updat\$3 or modif\$6) near4<br>database\$1   | UBSPATPBIS-PGPUB;<br>EPO; JPO;<br>DERWENT;  |
| 6  | BRS  | L6  | 239  | 5 and (707/\$.ccls. or 379/\$.ccls.)  | UBAPATPBUS-PGPUB;<br>EPO; JPO;<br>DERWENT;  |
| 7  | BRS  | L7  | 0    | 6 not @ad> "9990301"  | UBMPATPBUS-PGPUB;<br>EPO; JPO;<br>DERWENT;  |
| 8  | BRS  | L8  | 181  | 6 not @ad> "19990301"   | US PAT PUS-PGPUB;<br>EPO; JPO;<br>DERWENT;  |
| 9  | BRS  | L9  | 55   | 8 and search\$3 near4 database\$1   | US PAT PUS-PGPUB;<br>EPO; JPO;<br>DERWENT;  |
| 10 | BRS  | L10 | 29   | 9 and (database or field or record or row or column or attribute) near (ID or identifier or identification) | USMPATP®S-PGPUB;<br>EPO; JPO;<br>DERWENT;   |
| 11 | BRS  | L11 | 5    | 10 and quer\$5 near5 (routing or routed or route! or routes! or router\$1)                                  | US PATORUS;<br>EPO; JPO;<br>DERWENT;        |

|   | Туре | L# | Hits | Search Text   | DBs                                       |
|---|------|----|------|---|---|
| 1 | BRS  | L1 | 2283 | (route! or router or routes! or routed! or routing) same ((database or data-base or (data adj base)) and quer\$6) | USPAT; US-PGPUB;<br>EPO; JPO;<br>DERWENT; |
| 2 | BRS  | L2 | 34   | updat\$6 near2 ((databases! or<br>data-bases! or (data adj bases!)) and<br>quer\$6)                               | USPAT; US-PGPUB;<br>EPO; JPO;<br>DERWENT; |
| 3 | BRS  | L3 | 10   | 1 and 2   | USPAT; US-PGPUB;<br>EPO; JPO;<br>DERWENT; |
| 4 | BRS  | L4 | 3    | 3 and search\$6 and server and engine   | USPAT; US-PGPUB;<br>EPO; JPO;<br>DERWENT; |
| 5 | BRS  | L5 | 1819 | updat\$6 near2 (databases! or<br>data-bases! or (data adj bases!))  | USPAT; US-PGPUB;<br>EPO; JPO;<br>DERWENT; |
| 6 | BRS  | L6 | 230  | 5 and search\$6 and server and engine   | USPAT; US-PGPUB;<br>EPO; JPO;<br>DERWENT; |
| 7 | BRS  | L7 | 39   | 1 and 6   | USPAT; US-PGPUB;<br>EPO; JPO;<br>DERWENT; |
| 8 | BRS  | L8 | 12   | 7 and state with ((telephone or tele-phone or phone) adj number)  | USPAT; US-PGPUB;<br>EPO; JPO;<br>DERWENT; |
| 9 | BRS  | L9 | 12   | 8 and (sort\$6 or filter\$6)  | USPAT; US-PGPUB;<br>EPO; JPO;<br>DERWENT; |

|   | Ty<br>pe | L<br># | Hits    | Search Text   | DBs  | Time<br>Stamp        | Comm<br>ents | Error<br>Definiti<br>on | Errors |
|---|----------|--------|---------|---|--|----------------------|--------------|-------------------------|--------|
| 1 | BR<br>S  | L2     | 20      | 1 and (707/\$.ccls. or 709/\$.ccls.)  | USPAT;<br>US-PGPUB<br>; EPO;<br>JPO;<br>DERWENT; | 2002/11/<br>09 12:03 |              |                         | 0      |
| 2 | BR<br>S  | L3     | 12      | 2 and (updat\$6 or modif\$6) near2 record\$1  | USPAT;<br>US-PGPUB<br>; EPO;<br>JPO;<br>DERWENT; | 2002/11/<br>09 12:01 |              |                         | 0      |
| 3 | BR<br>S  | L4     | 1       | 1 and routing same query  | USPAT;<br>US-PGPUB<br>; EPO;<br>JPO;<br>DERWENT; | 2002/11/<br>09 12:02 |              |                         | 0      |
| 4 | BR<br>S  | L5     | 1971    | routing same query  | USPAT;<br>US-PGPUB<br>; EPO;<br>JPO;<br>DERWENT; | 2002/11/<br>09 12:02 |              |                         | 0      |
| 5 | BR<br>S  | L6     | 952     | 5 and (data-bases! or<br>databases! (data! adj<br>bases!))                                  | USPAT;<br>US-PGPUB;<br>EPO;<br>JPO;<br>DERWENT;  | 2002/11/<br>09 12:02 |              |                         | 0      |
| 6 | BR<br>S  | L7     | 229     | 6 and (707/\$.ccls. or<br>709/\$.ccls.)   | USPAT;<br>US-PGPUB<br>; EPO;<br>JPO;<br>DERWENT; | 2002/11/<br>09 12:03 |              |                         | 0      |
| 7 | BR<br>S  | L1     | 44      | (compar\$6 near5 records!) near9 (data-bases! or databases! (data! adj bases!))             | USPAT;<br>US-PGPUB<br>; EPO;<br>JPO;<br>DERWENT; | 2002/11/<br>09 12:08 |              |                         | 0      |
| 8 | BR<br>S  | L8     | 14      | 7 and (search\$3 near9<br>(data-bases! or<br>databases! (data! adj<br>bases!))) near6 query | USPAT;<br>US-PGPUB<br>; EPO;<br>JPO;<br>DERWENT; | 2002/11/<br>09 12:07 |              |                         | 0      |
| 9 | BR<br>S  | L9     | 7 III : | exclud\$6 near9<br>search\$5  | USPAT;<br>US-PGPUB<br>; EPO;<br>JPO;<br>DERWENT; | 2002/11/<br>09 12:08 |              |                         | 0      |

|    | Ty<br>pe | L<br>#  | Hits | Search Text  | DBs  | Time<br>Stamp        | Comm | Error<br>Definiti<br>on | Errors |
|----|----------|---------|------|--|--|----------------------|------|-------------------------|--------|
| 10 | BR<br>S  | L1<br>1 | 0    | 1 and 10   | FPU  | 2002/11/<br>09 12:09 |      |                         | 0      |
| 11 | BR<br>S  | L1<br>0 | 16   | 9 and (plurality or<br>multiple) adj<br>(data-bases! or<br>databases! (data! adj<br>bases!)) | USPAT;<br>US-PGPUB<br>; EPO;<br>JPO;<br>DERWENT; | 2002/11/<br>09 12:09 |      |                         | 0      |

.

|   | Ty<br>pe |    | Hits | Search Text  | DBs  | Time<br>Stamp        | Comm<br>ents | Error<br>Definiti<br>on | Errors |
|---|----------|----|------|--|--|----------------------|--------------|-------------------------|--------|
| 1 | BR<br>S  | L1 | 8    | ("5369763" or<br>"5987454" or<br>"6144958" or<br>"5684990").pn.          | USPAT;<br>US-PGPUB<br>; EPO;<br>JPO;<br>DERWENT; | 2002/11/<br>14 11:24 |              |                         | 0      |
| 2 | BR<br>S  | L2 | 1    | 1 and exclud\$6  | USPAT;<br>US-PGPUB<br>; EPO;<br>JPO;<br>DERWENT; | 2002/11/<br>14 11:26 |              |                         | 0      |
| 3 | BR<br>S  | L3 | 1    | 1 and (field or indication or flag or bit) near9 (delet\$6 and updat\$6) | USPAT;<br>US-PGPUB<br>; EPO;<br>JPO;<br>DERWENT; | 2002/11/<br>14 11:48 |              |                         | 0      |
| 4 | BR<br>S  | L4 | 540  | (indicator or indication or flag) near9 (delet\$6 and updat\$6)          | ; EPO;<br>JPO;<br>DERWENT;                       | 2002/11/<br>14 11:45 |              |                         | 0      |
| 5 | BR<br>S  | L5 | 201  | 4 and (databases! or data-bases! or (data! adj bases!))                  | USPAT;<br>US-PGPUB<br>; EPO;<br>JPO;<br>DERWENT; | 2002/11/<br>14 11:50 |              |                         | 0      |
| 6 | BR<br>S  | L6 | 67   | 5 and 707/\$.ccls.   | USPAT;<br>US-PGPUB<br>; EPO;<br>JPO;<br>DERWENT; | 2002/11/<br>14 11:50 |              |                         | 0      |
| 7 | BR<br>S  | L7 | 2    | 1 and (field or indication or flag or bit) near6 updat\$6                | USPAT;<br>US-PGPUB<br>; EPO;<br>JPO;<br>DERWENT; | 2002/11/<br>14 11:49 |              |                         | 0      |
| 8 | BR<br>S  | L8 | 1    | 1 and (indicator or indication) near6 updat\$6                           | USPAT;<br>US-PGPUB<br>; EPO;<br>JPO;<br>DERWENT; | 2002/11/<br>14 11:54 |              |                         | 0      |
| 9 | BR<br>S  | L9 |      | (indicator or<br>indication) near6<br>updat\$6                           | . [[]  | 2002/11/<br>14 11:50 |              |                         | 0      |

|    | Ty<br>pe | L<br>#  | Hits | Search Text   | DBs  | Time<br>Stamp        | Comm<br>ents | Error<br>Definiti<br>on | Errors |
|----|----------|---------|------|---|--|----------------------|--------------|-------------------------|--------|
| 10 | BR<br>S  | L1<br>0 | 483  | 9 and (databases! or data-bases! or (data! adj bases!))                               | JPO;<br>DERWENT;                                 | 2002/11/<br>14 12:04 |              |                         | 0      |
| 11 | BR<br>S  | L1<br>1 | 162  | 10 and 707/\$.ccls.   | USPAT;<br>US-PGPUB<br>; EPO;<br>JPO;<br>DERWENT; | 2002/11/<br>14 12:10 |              |                         | 0      |
| 12 | BR<br>S  | L1<br>2 | 64   | 11 and search\$3 and query  | USPAT;<br>US-PGPUB<br>; EPO;<br>JPO;<br>DERWENT; | 2002/11/<br>14 11:51 |              |                         | 0      |
| 13 | BR<br>S  | L1<br>3 | 30   | 11 and search\$3 same query   | USPAT;<br>US-PGPUB<br>; EPO;<br>JPO;<br>DERWENT; | 2002/11/<br>14 12:08 |              |                         | 0      |
| 14 | BR<br>S  | L1<br>4 | 2    | 13 and (indicator or indication) near6 delet\$6                                       | USPAT;<br>US-PGPUB<br>; EPO;<br>JPO;<br>DERWENT; | 2002/11/<br>14 11:57 |              |                         | 0      |
| 15 | BR<br>S  | L1<br>5 | 0    | 1 and (indicator or indication) near6 delet\$6  | USPAT;<br>US-PGPUB<br>; EPO;<br>JPO;<br>DERWENT; | 2002/11/<br>14 11:57 |              |                         | 0      |
| 16 | BR<br>S  | L1<br>6 | 1    | 1 and (indicator or indication) near6 updat\$6  | USPAT;<br>US-PGPUB<br>; EPO;<br>JPO;<br>DERWENT; | 2002/11/<br>14 12:04 |              |                         | 0      |
| 17 | BR<br>S  | L1<br>7 | 483  | 10 and (indicator or indication) near6 (updat\$6 and updat\$6)                        | USPAT;<br>US-PGPUB<br>; EPO;<br>JPO;<br>DERWENT; | 2002/11/<br>14 12:15 |              |                         | 0      |
| 18 | BR<br>S  | L1<br>8 | 3    | 17 and (databases! or data-bases! or (data! adj bases!)) same (search\$3 near9 query) | USPAT;<br>US-PGPUB<br>; EPO;<br>JPO;<br>DERWENT; | 2002/11/<br>14 12:06 |              |                         | 0      |

|    | Ty<br>pe | ı       | Hits | Search Text  | DBs  | Time<br>Stamp        | comm<br>ents | Error<br>Definiti<br>on | Errors |
|----|----------|---------|------|--|--|----------------------|--------------|-------------------------|--------|
| 19 | BR<br>S  | L1<br>9 | 139  | 17 and (database or data-base or (data! adj base)) near9 updating  |  | 2002/11/<br>14 12:06 |              |                         | 0      |
| 20 | BR<br>S  | L2<br>0 | 162  | data-base or (data! adj<br>base)) near9 updat\$6)  |  | 2002/11/<br>14 12:07 |              |                         | 0      |
| 21 | BR<br>S  | L2<br>1 | 133  | 17 and ((database or data-base or (data! adj base)) near9 updat\$6) with (databases! or data-bases! or (data! adj bases!)) |  | 2002/11/<br>14 12:15 |              |                         | 0      |
| 22 | BR<br>S  | L2<br>2 | 12   | 21 and search\$3 with query  | USPAT;<br>US-PGPUB<br>; EPO;<br>JPO;<br>DERWENT; | 2002/11/<br>14 12:09 |              |                         | 0      |
| 23 | BR<br>S  | L2<br>3 | 14   | 21 and search\$3 same<br>quer\$6   | USPAT;<br>US-PGPUB<br>; EPO;<br>JPO;<br>DERWENT; | 2002/11/<br>14 12:09 |              |                         | 0      |
| 24 | BR<br>S  | L2<br>4 | 51   | 21 and 707/\$.ccls.  | USPAT;<br>US-PGPUB<br>; EPO;<br>JPO;<br>DERWENT; | 2002/11/<br>14 12:10 |              |                         | 0      |
| 25 | BR<br>S  | L2<br>5 | 37   | 10 and (indicator or indication) near6 (updat\$6 and delet\$6)   | USPAT;<br>US-PGPUB<br>; EPO;<br>JPO;<br>DERWENT; | 2002/11/<br>14 12:15 |              |                         | 0      |
| 26 | BR<br>S  | L2<br>6 | 8    | data-base or (data! adj<br>base)) near9 updat\$6)<br>with (databases! or<br>data-bases! or (data!                          |  | 2002/11/<br>14 12:16 |              |                         | 0      |

|   | Ty<br>pe | L<br># | Hits | Search Text  | DBs  | Time<br>Stamp        | Comm | Error<br>Definiti<br>on | Errors |
|---|----------|--------|------|--|--|----------------------|------|-------------------------|--------|
| 1 | BR<br>S  | L1     | 8    | ("5369763" or<br>"5987454" or<br>"6144958" or<br>"5684990").pn.          | USPAT;<br>US-PGPUB<br>; EPO;<br>JPO;<br>DERWENT; | 2002/11/<br>14 11:24 |      |                         | 0      |
| 2 | BR<br>S  | L2     | 1    | 1 and exclud\$6  | USPAT;<br>US-PGPUB<br>; EPO;<br>JPO;<br>DERWENT; | 2002/11/<br>14 11:26 |      |                         | 0      |
| 3 | BR<br>S  | L3     | 1    | 1 and (field or indication or flag or bit) near9 (delet\$6 and updat\$6) | USPAT;<br>US-PGPUB<br>; EPO;<br>JPO;<br>DERWENT; | 2002/11/<br>14 11:48 |      |                         | 0      |
| 4 | BR<br>S  | L4     | 540  | (indicator or indication<br>or flag) near9 (delet\$6<br>and updat\$6)    | ; EPO;<br>JPO;<br>DERWENT;                       | 2002/11/<br>14 11:45 |      |                         | 0      |
| 5 | BR<br>S  | L5     | 201  | 4 and (databases! or data-bases! or (data! adj bases!))                  | USPAT;<br>US-PGPUB<br>; EPO;<br>JPO;<br>DERWENT; | 2002/11/<br>14 11:50 |      |                         | 0      |
| 6 | BR<br>S  | L6     | 67   | 5 and 707/\$.ccls.   | USPAT;<br>US-PGPUB<br>; EPO;<br>JPO;<br>DERWENT; | 2002/11/<br>14 11:50 |      |                         | 0      |
| 7 | BR<br>S  | L7     | 2    | 1 and (field or indication or flag or bit) near6 updat\$6                | USPAT;<br>US-PGPUB<br>; EPO;<br>JPO;<br>DERWENT; | 2002/11/<br>14 11:49 |      |                         | 0      |
| 8 | BR<br>S  | L8     | 1    | 1 and (indicator or indication) near6 updat\$6                           | USPAT;<br>US-PGPUB<br>; EPO;<br>JPO;<br>DERWENT; | 2002/11/<br>14 11:54 |      |                         | 0      |
| 9 | BR<br>S  | L9     |      | (indicator or<br>indication) near6<br>updat\$6                           | USPAT;<br>US-PGPUB<br>; EPO;<br>JPO;<br>DERWENT; | 2002/11/<br>14 11:50 |      |                         | 0      |

|    | Ty<br>pe |         | Hits | Search Text                                     | DBs  | Time<br>Stamp        | Comm | Error<br>Definiti<br>on | Errors |
|----|----------|---------|------|---|--|----------------------|------|-------------------------|--------|
| 10 | BR<br>S  | L1<br>0 | 483  | data-bases! or (data!                           | USPAT;<br>US-PGPUB<br>; EPO;<br>JPO;<br>DERWENT; | 2002/11/<br>14 11:50 |      |                         | 0      |
| 11 | BR<br>S  | L1<br>1 | 162  | 10 and 707/\$.ccls.                             | USPAT;<br>US-PGPUB<br>; EPO;<br>JPO;<br>DERWENT; | 2002/11/<br>14 11:51 |      |                         | 0      |
| 12 | BR<br>S  | L1<br>2 | 64   | 11 and search\$3 and query                      | USPAT;<br>US-PGPUB<br>; EPO;<br>JPO;<br>DERWENT; | 2002/11/<br>14 11:51 |      |                         | 0      |
| 13 | BR<br>S  | L1<br>3 | 30   | 11 and search\$3 same<br>query                  | USPAT;<br>US-PGPUB<br>; EPO;<br>JPO;<br>DERWENT; | 2002/11/<br>14 11:51 |      |                         | 0      |
| 14 | BR<br>S  | L1<br>4 | 2    | 13 and (indicator or indication) near6 delet\$6 | USPAT;<br>US-PGPUB<br>; EPO;<br>JPO;<br>DERWENT; | 2002/11/<br>14 11:57 |      |                         | 0      |
| 15 | BR<br>S  | L1<br>5 | 0    | 1 and (indicator or indication) near6 delet\$6  | USPAT;<br>US-PGPUB<br>; EPO;<br>JPO;<br>DERWENT; | 2002/11/<br>14 11:57 |      |                         | 0      |
| 16 | BR<br>S  | L1<br>6 | 1    | 1 and (indicator or indication) near6 updat\$6  | USPAT;<br>US-PGPUB<br>; EPO;<br>JPO;<br>DERWENT; | 2002/11/<br>14 11:57 |      |                         | 0      |

|   | Ty<br>pe |    | Hits | Search Text   | DBs  | Time<br>Stamp        | Comm | Error<br>Definiti<br>on | Errors |
|---|----------|----|------|---|--|----------------------|------|-------------------------|--------|
| 1 | BR<br>S  | L1 | 48   | ("4774655" or "4845658" or "5369763" or "5511186" or "5761663" or "5884304" or "6018733" or "6023696" or "6144958" or "5859972" or "5404295" or "5548770" or "5600831" or "5675785" or "5987454" or "5826261" or "5826261" or "5369763" or "5369763" or "4845658" or "4774655").pn. | USPAT;<br>US-PGPUB;<br>EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | 2002/05/<br>23 07:13 |      |                         | 0      |
| 2 | BR<br>S  | L3 | 7    | (   | USPAT;<br>US-PGPUB<br>; EPO;<br>JPO;<br>DERWENT;           | 2002/05/<br>23 07:22 |      |                         | 0      |
| 3 | BR<br>S  | L4 | 2    | 3 and (exclud\$3 or remov\$3 or (duplicat\$6 near4 (remov\$3 or delet\$6)))   | USPAT;<br>US-PGPUB<br>; EPO;<br>JPO;<br>DERWENT;           | 2002/05/<br>23 07:17 |      |                         | 0      |
| 4 | BR<br>S  | L5 | 0    | 3 and ((exclud\$3 or remov\$3 or (duplicat\$6 near4 (remov\$3 or delet\$6))) with record\$1)  | USPAT;<br>US-PGPUB<br>; EPO;<br>JPO;<br>DERWENT;           | 2002/05/<br>23 07:17 |      |                         | 0      |
| 5 | BR<br>S  | L6 | 1    | 1 and ((exclud\$3 or<br>remov\$3 or<br>(duplicat\$6 near4<br>(remov\$3 or delet\$6)))<br>with record\$1)  | USPAT;<br>US-PGPUB<br>; EPO;<br>JPO;<br>DERWENT;           | 2002/05/<br>23 07:24 |      |                         | 0      |

|    | Ty<br>pe |         | Hits      | Search Text   | DBs  | Time<br>Stamp        | Comm<br>ents | Error<br>Definiti<br>on | Errors |
|----|----------|---------|-----------|---|--|----------------------|--------------|-------------------------|--------|
| 6  | BR<br>S  | L2      | 7         | 1 and (routing! or<br>routed! or route! or<br>routes! or router\$1)<br>same quer\$5           | USPAT;<br>US-PGPUB<br>; EPO;<br>JPO;<br>DERWENT; | 2002/05/<br>23 07:21 |              |                         | 0      |
| 7  | BR<br>S  | L7      | 1055<br>5 | ((exclud\$3 or remov\$3 or (duplicat\$6 near4 (remov\$3 or delet\$6))) with record\$1)        | DERWENT;   | 2002/05/<br>23 07:47 |              |                         | 0      |
| 8  | BR<br>S  | L8      | 89        | 7 and (routing! or routed! or routes! or router\$1) with quer\$5                              | USPAT;<br>US-PGPUB<br>; EPO;<br>JPO;<br>DERWENT; | 2002/05/<br>23 07:28 |              |                         | 0      |
| 9  | BR<br>S  | L9      | 83        | 8 and (database\$1 or<br>data-base\$1 or (data!<br>adj base\$1))                              | USPAT;<br>US-PGPUB<br>; EPO;<br>JPO;<br>DERWENT; | 2002/05/<br>23 07:22 |              |                         | 0      |
| 10 | BR<br>S  | L1<br>1 | 13        | 10 and ((exclud\$3 or remov\$3 or (duplicat\$6 near4 (remov\$3 or delet\$6))) with record\$1) | USPAT;<br>US-PGPUB<br>; EPO;<br>JPO;<br>DERWENT; | 2002/05/<br>23 07:24 |              |                         | 0      |
| 11 | BR<br>S  | L1<br>0 | 13        |   | USPAT;<br>US-PGPUB<br>; EPO;<br>JPO;<br>DERWENT; | 2002/05/<br>23 07:46 |              |                         | 0      |
| 12 | BR<br>S  | L1<br>2 |           | 7 and (routing! or routed! or routes! or router\$1) same quer\$5                              | USPAT;<br>US-PGPUB<br>; EPO;<br>JPO;<br>DERWENT; | 2002/05/<br>23 07:46 |              |                         | 0      |
| 13 | BR<br>S  | L1<br>3 |           | 12 and (707/\$.ccls. or<br>709/\$.ccls.)  | . CTU. :   | 2002/05/<br>23 08:19 |              |                         | 0      |
| 14 | BR<br>S  | L1<br>4 | 29        | 12 and (707/\$.ccls.)   | USPAT;<br>US-PGPUB<br>; EPO;<br>JPO;<br>DERWENT; | 2002/05/<br>23 07:46 |              |                         | 0      |

|    | Ty<br>pe |         | Hits | Search Text  | DBs  | Time<br>Stamp        | Comm | Error<br>Definiti<br>on | Errors |
|----|----------|---------|------|--|--|----------------------|------|-------------------------|--------|
| 15 | BR<br>S  | L1<br>5 | 133  | 7 and (updat\$3 near6 (databases! or data-bases! or (data! adj bases!))) and records! and fields!  | USPAT;<br>US-PGPUB<br>; EPO;<br>JPO;<br>DERWENT; | 2002/05/<br>23 07:50 |      |                         | 0      |
| 16 | BR<br>S  | L1<br>6 | 49   | 15 and (707/\$.ccls.)  | USPAT;<br>US-PGPUB<br>; EPO;<br>JPO;<br>DERWENT; | 2002/05/<br>23 08:03 |      |                         | 0      |
| 17 | BR<br>S  | L1<br>8 | 658  | ((exclud\$3 or<br>(duplicat\$6 near4<br>(purg\$6 or remov\$3 or<br>delet\$6))) near9<br>record\$1) | USPAT;<br>US-PGPUB<br>; EPO;<br>JPO;<br>DERWENT; | 2002/05/<br>23 08:06 |      |                         | 0      |
| 18 | BR<br>S  | L2<br>0 | 3    | 19 and (routing! or routed! or routes! or router\$1) same quer\$5                                  | USPAT;<br>US-PGPUB<br>; EPO;<br>JPO;<br>DERWENT; | 2002/05/<br>23 07:50 |      |                         | 0      |
| 19 | BR<br>S  | L1<br>7 | 5    | 16 and (routing! or routed! or routes! or router\$1) same quer\$5                                  | USPAT;<br>US-PGPUB<br>; EPO;<br>JPO;<br>DERWENT; | 2002/05/<br>23 07:54 |      |                         | 0      |
| 20 | BR<br>S  | L1<br>9 | 14   | data-bases! or (data!  | USPAT;<br>US-PGPUB<br>; EPO;<br>JPO;<br>DERWENT; | 2002/05/<br>23 08:02 |      |                         | 0      |
| 21 | BR<br>S  | L2<br>1 | 10   | 19 and (707/\$.ccls. or<br>709/\$.ccls.)   | USPAT;<br>US-PGPUB<br>; EPO;<br>JPO;<br>DERWENT; | 2002/05/<br>23 07:58 |      |                         | 0      |
| 22 | BR<br>S  | L2<br>2 | 2    | data-bases! or (data!<br>adj bases!))) same  | US-PGPUB<br>: EPO:                               | 2002/05/<br>23 08:19 |      |                         | 0      |
| 23 | BR<br>S  | L2<br>3 | 10   | 19 and (707/\$.ccls.)  | . EFU.   | 2002/05/<br>23 08:36 |      |                         | 0      |

|    | Ty<br>pe | L<br>#  | Hits | Search Text  | DBs   | Time<br>Stamp        | Comm | Error<br>Definiti | Errors |
|----|----------|---------|------|--|---|----------------------|------|-------------------|--------|
| 24 | BR<br>S  | L2<br>4 | 5741 | (((exclud\$3 or purg\$6 or remov\$6) near4 record\$1) or ((duplicat\$6 near4 (remov\$3 or delet\$6)) near4 record\$1)) | USPAT;<br>US-PGPUB<br>; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | 2002/05/<br>23 08:26 |      |                   | 0      |
| 25 | BR<br>S  | L2<br>5 | 687  | 24 and (707/\$.ccls. or<br>709/\$.ccls.)   | USPAT;<br>US-PGPUB<br>; EPO;<br>JPO;<br>DERWENT;            | 2002/05/<br>23 08:19 |      |                   | 0      |
| 26 | BR<br>S  | L2<br>6 | 509  | 24 and (707/\$.ccls.)  | USPAT;<br>US-PGPUB<br>; EPO;<br>JPO;<br>DERWENT;            | 2002/05/<br>23 08:21 |      |                   | 0      |
| 27 | BR<br>S  | L2<br>7 | 4    | 25 and (updat\$3 near4<br>(databases! or<br>data-bases! or (data!<br>adj bases!))) same<br>records! same fields!       | USPAT;<br>US-PGPUB<br>; EPO;<br>JPO;<br>DERWENT;            | 2002/05/<br>23 08:21 |      |                   | 0      |
| 28 | BR<br>S  | L2<br>8 | 40   | 25 and (updat\$3 near4<br>(databases! or<br>data-bases! or (data!<br>adj bases!))) and<br>records! and fields!         | USPAT;<br>US-PGPUB<br>; EPO;<br>JPO;<br>DERWENT;            | 2002/05/<br>23 08:29 |      |                   | 0      |
| 29 | BR<br>S  | L2<br>9 | 34   | 28 and (707/\$.ccls.)  | USPAT;<br>US-PGPUB<br>; EPO;<br>JPO;<br>DERWENT;            | 2002/05/<br>23 08:28 |      |                   | 0      |
| 30 | BR<br>S  | L3<br>0 | 459  | neary record(1)/ came  | JPO;  | 2002/05/<br>23 08:27 |      |                   | 0      |
| 31 | BR<br>S  | L3<br>1 | 101  |  | .EFU.   | 2002/05/<br>23 08:28 |      |                   | 0      |

|    | Ty<br>pe | L<br>#  | Hits | Search Text                                | DBs  | Time<br>Stamp        | Comm<br>ents | Error<br>Definiti<br>on | Errors |
|----|----------|---------|------|--|--|----------------------|--------------|-------------------------|--------|
| 32 | BR<br>S  | L3<br>2 | 11   | data-bases! or (data!<br>adj bases!))) and | US-PGPUB<br>· FPO·                               | 2002/05/<br>23 08:37 |              |                         | 0      |
| 33 | BR<br>S  | L3<br>3 | 129  | 18 and (707/\$.ccls.)                      | USPAT;<br>US-PGPUB<br>; EPO;<br>JPO;<br>DERWENT; | 2002/05/<br>23 08:36 |              |                         | 0      |
| 34 | BR<br>S  | L3<br>4 | 10   | data-bases! or (data!<br>adj bases!))) and | US-PGPUB<br>: FPO:                               | 2002/05/<br>23 08:37 | ,            |                         | 0      |

|   | Ty<br>pe |    | Hits | Search Text  | DBs  | Time<br>Stamp        | Comm<br>ents | Error<br>Definiti<br>on | Errors |
|---|----------|----|------|--|--|----------------------|--------------|-------------------------|--------|
| 1 | BR<br>S  | L1 | 58   | query! adj routing!  | USPAT;<br>US-PGPUB<br>; EPO;<br>JPO;<br>DERWENT; | 2002/05/<br>21 15:54 |              |                         | 0      |
| 2 | BR<br>S  | L2 | 41   | 1 and database\$1  | USPAT;<br>US-PGPUB<br>; EPO;<br>JPO;<br>DERWENT; | 2002/05/<br>21 15:55 |              |                         | 0      |
| 3 | BR<br>S  | L3 |      | 2 and (707/\$.ccls. or<br>709/\$.ccls. or<br>379/\$.ccls.) | USPAT;<br>US-PGPUB<br>; EPO;<br>JPO;<br>DERWENT; | 2002/05/<br>21 15:56 |              |                         | 0      |
| 4 | BR<br>S  | L4 | 13   | 2 and (707/\$.ccls.)                                       | USPAT;<br>US-PGPUB;<br>EPO;<br>JPO;<br>DERWENT;  | 2002/05/<br>21 15:57 |              |                         | 0      |
| 5 | BR<br>S  | L5 | 15   | 1 and (707/\$.ccls.)                                       | USPAT;<br>US-PGPUB;<br>EPO;<br>JPO;<br>DERWENT;  | 2002/05/<br>21 15:57 |              |                         | 0      |

· IÌ

|    | Ty<br>pe |         | Hits | Search Text   | DBs  | Time<br>Stamp        | Comm | Error<br>Definiti<br>on | Errors |
|----|----------|---------|------|---|--|----------------------|------|-------------------------|--------|
| 10 |          |         | :    | 707/\$.ccls. or<br>379/\$.ccls.   | JPO;<br>DERWENT;                                 | 2002/11/<br>15 08:58 |      |                         | 0      |
| 11 | BR<br>S  | L1<br>1 | 320  | 10 and databases!<br>near updat\$6                                      | USPAT;<br>US-PGPUB<br>; EPO;<br>JPO;<br>DERWENT; | 2002/11/<br>15 10:21 |      |                         | 0      |
| 12 | BR<br>S  | L1<br>2 | 73   | 11 and routing same<br>(database or<br>data-base or (data adj<br>base)) | USPAT;<br>US-PGPUB;<br>EPO;<br>JPO;<br>DERWENT;  | 2002/11/<br>15 11:00 |      |                         | 0      |
| 13 | BR<br>S  | L1<br>3 | 1105 | updat\$6 near<br>(databases! or<br>data-bases! or (data<br>adj bases!)) | USPAT;<br>US-PGPUB<br>; EPO;<br>JPO;<br>DERWENT; | 2002/11/<br>15 09:52 |      |                         | 0      |
| 14 | BR<br>S  | L1<br>4 | 349  | 13 and (707/\$.ccls. or<br>379/\$.ccls.)                                | USPAT;<br>US-PGPUB<br>; EPO;<br>JPO;<br>DERWENT; | 2002/11/<br>15 08:58 |      |                         | 0      |
| 15 | BR<br>S  | L1<br>5 | 75   | 14 and routing same<br>(database or<br>data-base or (data adj<br>base)) | USPAT;<br>US-PGPUB<br>; EPO;<br>JPO;<br>DERWENT; | 2002/11/<br>15 09:09 |      |                         | 0      |
| 16 | BR<br>S  | L1<br>6 | 52   | 14 and routing same server  | USPAT;<br>US-PGPUB<br>; EPO;<br>JPO;<br>DERWENT; | 2002/11/<br>15 09:53 |      |                         | 0      |
| 17 | BR<br>S  | L1<br>7 | 13   | 16 and routing same query   | USPAT;<br>US-PGPUB<br>; EPO;<br>JPO;<br>DERWENT; | 2002/11/<br>15 09:03 |      |                         | 0      |
| 18 | BR<br>S  | L1<br>8 | 20   | 15 and search\$3<br>near3 request\$6                                    | USPAT;<br>US-PGPUB<br>; EPO;<br>JPO;<br>DERWENT; | 2002/11/<br>15 09:09 |      |                         | 0      |

|    | Ty<br>pe |         | Hits | Search Text  | DBs  | Time<br>Stamp        | Comm | Error<br>Definiti<br>on | Errors |
|----|----------|---------|------|--|--|----------------------|------|-------------------------|--------|
| 19 | BR<br>S  | L1<br>9 | 3    | 18 and (modif\$6 or<br>updat\$6) near9<br>(search\$3 near3<br>request\$6)  | USPAT;<br>US-PGPUB<br>; EPO;<br>JPO;<br>DERWENT; | 2002/11/<br>15 09:08 |      |                         | 0      |
| 20 | BR<br>S  | L2<br>0 | 0    | 18 and (modif\$6)<br>near9 (search\$3 near3<br>request\$6)                 | JPO;<br>DERWENT;                                 | 2002/11/<br>15 09:10 |      |                         | 0      |
| 21 | BR<br>S  | L2<br>1 | 130  | 14 and routing and (database or data-base or (data adj base))              | USPAT;<br>US-PGPUB<br>; EPO;<br>JPO;<br>DERWENT; | 2002/11/<br>15 09:35 |      |                         | 0      |
| 22 | BR<br>S  | L2<br>2 | 26   | 21 and search\$3<br>near3 request\$6                                       | USPAT;<br>US-PGPUB<br>; EPO;<br>JPO;<br>DERWENT; | 2002/11/<br>15 09:09 |      |                         | 0      |
| 23 | BR<br>S  | L2<br>3 | 0    | 22 and (modif\$6)<br>near9 (search\$3 near3<br>request\$6)                 | USPAT;<br>US-PGPUB<br>; EPO;<br>JPO;<br>DERWENT; | 2002/11/<br>15 09:10 |      |                         | 0      |
| 24 | BR<br>S  | L2<br>4 | 1    | near9 (search\$3 near3   | USPAT;<br>US-PGPUB<br>; EPO;<br>JPO;<br>DERWENT; | 2002/11/<br>15 09:10 |      |                         | 0      |
| 25 | BR<br>S  | L2<br>5 | 17   | 15 and server near3 (search or proxy)                                      | USPAT;<br>US-PGPUB<br>; EPO;<br>JPO;<br>DERWENT; | 2002/11/<br>15 10:36 |      |                         | 0      |
| 26 | BR<br>S  | L2<br>6 | 128  | 14 and (telephone or tele-phone or adj number                              | USPAT;<br>US-PGPUB<br>; EPO;<br>JPO;<br>DERWENT; | 2002/11/<br>15 09:21 |      |                         | 0      |
| 27 | BR<br>S  | L2<br>7 | 29   | 14 and ((telephone or<br>tele-phone or phone)<br>adj number) same<br>state | USPAT;<br>US-PGPUB<br>; EPO;<br>JPO;<br>DERWENT; | 2002/11/<br>15 09:18 |      |                         | 0      |

|    | Ty<br>pe |         | Hits | Search Text   | DBs   | Time<br>Stamp        | Comm<br>ents | Error<br>Definiti<br>on | Errors |
|----|----------|---------|------|---|---|----------------------|--------------|-------------------------|--------|
| 28 | BR<br>S  | L2<br>8 | 0    | 27 and city same state same ((database or data-base or (data adj base)) adj (id or identifier or identification))               | USPAT;<br>US-PGPUB<br>; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | 2002/11/<br>15 09:20 |              |                         | 0      |
| 29 | BR<br>S  | L2<br>9 | 0    | 26 and city same state same ((database or data-base or (data adj base)) adj (id or identifier or identification))               | US-PGPUB  | 2002/11/<br>15 09:20 |              |                         | 0      |
| 30 | BR<br>S  | L3<br>0 | 5    | 26 and city same state<br>and ((database or<br>data-base or (data adj<br>base)) adj (id or<br>identifier or<br>identification)) | US-PGPUB  | 2002/11/<br>15 09:43 |              |                         | 0      |
| 31 | BR<br>S  | L3<br>1 | 5    | 30 and (telephone or tele-phone or adj number   | USPAT;<br>US-PGPUB<br>; EPO;<br>JPO;<br>DERWENT;            | 2002/11/<br>15 09:21 |              |                         | 0      |
| 32 | BR<br>S  | L3<br>2 | 42   | 14 and routing near8<br>(database or<br>data-base or (data adj<br>base))  | USPAT;<br>US-PGPUB<br>; EPO;<br>JPO;<br>DERWENT;            | 2002/11/<br>15 09:44 |              |                         | 0      |
| 33 | BR<br>S  | L3<br>3 | 1    | 32 and ((database or<br>data-base or (data adj<br>base)) adj (id or<br>identifier or<br>identification))                        | USPAT;<br>US-PGPUB<br>; EPO;<br>JPO;<br>DERWENT;            | 2002/11/<br>15 09:44 |              |                         | 0      |
| 34 | BR<br>S  | L3<br>4 | 75   | 14 and routing same<br>(database or<br>data-base or (data adj<br>base))   | USPAT;<br>US-PGPUB<br>; EPO;<br>JPO;<br>DERWENT;            | 2002/11/<br>15 09:44 |              |                         | 0      |
| 35 | BR<br>S  | L3<br>5 | 3    | 34 and ((database or<br>data-base or (data adj<br>base)) adj (id or<br>identifier or<br>identification))                        | USPAT;<br>US-PGPUB<br>; EPO;<br>JPO;<br>DERWENT;            | 2002/11/<br>15 09:45 |              |                         | 0      |

|    | Ty<br>pe |         | Hits | Search Text  | DBs   | Time<br>Stamp        | Comm<br>ents | Error<br>Definiti<br>on | Errors |
|----|----------|---------|------|--|---|----------------------|--------------|-------------------------|--------|
| 36 | BR<br>S  | L3<br>6 | 0    | 14 and ((database or data-base or (data adj base)) adj (id or identifier or identification)) same state same city  | USPAT;<br>US-PGPUB<br>; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | 2002/11/<br>15 09:47 |              |                         | 0      |
| 37 | BR<br>S  | L3<br>7 | 2    | ((database or<br>data-base or (data adj<br>base)) adj (id or<br>identifier or<br>identification)) same<br>state same city  | USPAT;<br>US-PGPUB<br>; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | 2002/11/<br>15 09:46 |              |                         | 0      |
| 38 | BR<br>S  | L3<br>8 | 5    | 14 and ((database or data-base or (data adj base)) adj (id or identifier or identification)) and (state same city)   | USPAT;<br>US-PGPUB<br>; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | 2002/11/<br>15 09:50 |              |                         | 0      |
| 39 | BR<br>S  | L3<br>9 | 50   | ((database or<br>data-base or (data adj<br>base)) adj (id or<br>identifier or<br>identification)) and<br>(state same city)   | USPAT;<br>US-PGPUB<br>; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | 2002/11/<br>15 09:51 |              |                         | 0      |
| 40 | BR<br>S  | L4<br>0 | 17   | ((database or<br>data-base or (data adj<br>base)) adj (id or<br>identifier or<br>identification)) and<br>(state same city same<br>((telephone or<br>tele-phone or phone)<br>adj number)) | USPAT;<br>US-PGPUB<br>; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | 2002/11/<br>15 10:21 |              |                         | 0      |
| 41 | BR<br>S  | L4<br>1 | 5    | 40 and updat\$6 near (databases! or data-bases! or (data adj bases!)) and routing  | USPAT;<br>US-PGPUB<br>; EPO;<br>JPO;<br>DERWENT;            | 2002/11/<br>15 09:53 |              |                         | 0      |
| 42 | BR<br>S  | L4<br>2 | 5    | 41 and routing same server   | USPAT;<br>US-PGPUB<br>; EPO;<br>JPO;<br>DERWENT;            | 2002/11/<br>15 10:00 |              |                         | 0      |

.

|    | Ty<br>pe |         | Hits | Search Text  | DBs  | Time<br>Stamp        | Comm | Error<br>Definiti<br>on | Errors |
|----|----------|---------|------|--|--|----------------------|------|-------------------------|--------|
| 43 | BR<br>S  | L4<br>3 | 987  | databases! near<br>updat\$6  | USPAT;<br>US-PGPUB<br>; EPO;<br>JPO;<br>DERWENT;           | 2002/11/<br>15 10:32 |      |                         | 0      |
| 44 | BR<br>S  | L4<br>4 | 5    | 43 and ((database or data-base or (data adj base)) adj (id or identifier or identification)) and (state same city same ((telephone or tele-phone) adj number)) | USPAT;<br>US-PGPUB;<br>EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | 2002/11/<br>15 10:25 |      |                         | 0      |
| 45 | BR<br>S  | L4<br>6 | 14   | 45 and state same city same ((telephone or tele-phone or phone) adj number)  | USPAT;<br>US-PGPUB<br>; EPO;<br>JPO;<br>DERWENT;           | 2002/11/<br>15 10:36 |      |                         | 0      |
| 46 | BR<br>S  | L4<br>7 | 0    | 45 and ((database or data-base or (data adj base)) adj (id or identifier or identification))   | USPAT;<br>US-PGPUB<br>; EPO;<br>JPO;<br>DERWENT;           | 2002/11/<br>15 10:46 |      |                         | 0      |
| 47 | BR<br>S  | L4<br>8 |      | 45 and (routing adj<br>(code or field))  | USPAT;<br>US-PGPUB<br>; EPO;<br>JPO;<br>DERWENT;           | 2002/11/<br>15 10:40 |      |                         | 0      |
| 48 | BR<br>S  | L4<br>5 | 37   | 43 and (database or data-base or (data adj base)) same search\$3 same routing  | USPAT;<br>US-PGPUB<br>; EPO;<br>JPO;<br>DERWENT;           | 2002/11/<br>15 10:33 |      |                         | 0      |
| 49 | BR<br>S  | L4<br>9 | 7189 | database\$1 near<br>updat\$6   | USPAT;<br>US-PGPUB<br>; EPO;<br>JPO;<br>DERWENT;           | 2002/11/<br>15 10:32 |      |                         | 0      |
| 50 | BR<br>S  | L5<br>0 | 90   | 49 and (database or<br>data-base or (data adj<br>base)) same search\$3<br>same routing   | USPAT;<br>US-PGPUB<br>; EPO;<br>JPO;<br>DERWENT;           | 2002/11/<br>15 11:00 |      |                         | 0      |

|    | Ty<br>pe | L<br>#  | Hits | Search Text  | DBs  | Time<br>Stamp        | Comm | Error<br>Definiti<br>on | Errors |
|----|----------|---------|------|--|--|----------------------|------|-------------------------|--------|
| 51 | BR<br>S  | L5<br>1 | 17   | 50 and state same city<br>same ((telephone or<br>tele-phone or phone)<br>adj number)       | USPAT;<br>US-PGPUB<br>; EPO;<br>JPO;<br>DERWENT; | 2002/11/<br>15 11:23 |      |                         | 0      |
| 52 | BR<br>S  | L5<br>2 | 18   | 45 and state and city<br>and ((telephone or<br>tele-phone or phone)<br>adj number)         | USPAT;<br>US-PGPUB<br>; EPO;<br>JPO;<br>DERWENT; | 2002/11/<br>15 10:36 |      |                         | 0      |
| 53 | BR<br>S  | L5<br>4 | 16   | 53 and server near3<br>(search or proxy)   | USPAT;<br>US-PGPUB<br>; EPO;<br>JPO;<br>DERWENT; | 2002/11/<br>15 11:02 |      |                         | 0      |
| 54 | BR<br>S  | L5<br>3 | 26   | 50 and state and city<br>and ((telephone or<br>tele-phone or phone)<br>adj number)         | USPAT;<br>US-PGPUB<br>; EPO;<br>JPO;<br>DERWENT; | 2002/11/<br>15 11:07 |      |                         | 0      |
| 55 | BR<br>S  | L5<br>5 | 15   | 50 and (routing adj<br>(code or field))  | USPAT;<br>US-PGPUB;<br>EPO;<br>JPO;<br>DERWENT;  | 2002/11/<br>15 10:43 |      |                         | 0      |
| 56 | BR<br>S  | L5<br>6 | 14   | 55 and search\$3 and quer\$6   | USPAT;<br>US-PGPUB<br>; EPO;<br>JPO;<br>DERWENT; | 2002/11/<br>15 10:46 |      |                         | 0      |
| 57 | BR<br>S  | L5<br>7 | 54   | 50 and search\$3 and quer\$6   | USPAT;<br>US-PGPUB<br>; EPO;<br>JPO;<br>DERWENT; | 2002/11/<br>15 10:46 |      |                         | 0      |
| 58 | BR<br>S  | L5<br>8 | 1    | 57 and (database or data-base or (data adj base)) adj (id or identifier or identification) | USPAT;<br>US-PGPUB<br>; EPO;<br>JPO;<br>DERWENT; | 2002/11/<br>15 10:48 |      |                         | 0      |
| 59 | BR<br>S  | L5<br>9 | 14   | 11 and (database or data-base or (data adj base)) adj (id or identifier or identification) | USPAT;<br>US-PGPUB<br>; EPO;<br>JPO;<br>DERWENT; | 2002/11/<br>15 10:52 |      |                         | 0      |

|    | Ty<br>pe |         | Hits | Search Text  | DBs  | Time<br>Stamp        | Comm | Error<br>Definiti<br>on | Errors |
|----|----------|---------|------|--|--|----------------------|------|-------------------------|--------|
| 60 | BR<br>S  | L6<br>0 | 8    | 1 and (database or<br>data-base or (data adj<br>base)) adj (id or<br>identifier or<br>identification)    | USPAT;<br>US-PGPUB<br>; EPO;<br>JPO;<br>DERWENT; | 2002/11/<br>15 10:55 |      |                         | 0      |
| 61 | BR<br>S  | L6<br>1 | 10   | 1 and (database or<br>data-base or (data adj<br>base)) near4 (id or<br>identifier or<br>identification)  | USPAT;<br>US-PGPUB<br>; EPO;<br>JPO;<br>DERWENT; | 2002/11/<br>15 10:59 |      |                         | 0      |
| 62 | BR<br>S  | L6<br>2 | 3    | 61 and routing   | USPAT;<br>US-PGPUB<br>; EPO;<br>JPO;<br>DERWENT; | 2002/11/<br>15 10:58 |      |                         | 0      |
| 63 | BR<br>S  | L6<br>3 | 112  | 11 and (database or<br>data-base or (data adj<br>base)) near4 (id or<br>identifier or<br>identification) | USPAT;<br>US-PGPUB<br>; EPO;<br>JPO;<br>DERWENT; | 2002/11/<br>15 11:23 |      |                         | 0      |
| 64 | BR<br>S  | L6<br>5 | 11   | 64 and (database or<br>data-base or (data adj<br>base)) same search\$3<br>same routing                   | USPAT;<br>US-PGPUB<br>; EPO;<br>JPO;<br>DERWENT; | 2002/11/<br>15 11:02 |      |                         | 0      |
| 65 | BR<br>S  | L6<br>6 | 11   | data-base or (data adj   | USPAT;<br>US-PGPUB<br>; EPO;<br>JPO;<br>DERWENT; | 2002/11/<br>15 11:02 |      |                         | 0      |
| 66 | BR<br>S  | L6<br>7 | 12   | 64 and server near3<br>(search or proxy)   | USPAT;<br>US-PGPUB<br>; EPO;<br>JPO;<br>DERWENT; | 2002/11/<br>15 11:02 |      |                         | 0      |
| 67 | BR<br>S  | L6<br>4 | 35   | 63 and routing same<br>(database or<br>data-base or (data adj<br>base))                                  | USPAT;<br>US-PGPUB<br>; EPO;<br>JPO;<br>DERWENT; | 2002/11/<br>15 11:25 |      |                         | 0      |
| 68 | BR<br>S  | L6<br>8 | 48   | 63 and routing and<br>(database or<br>data-base or (data adj<br>base))                                   | USPAT;<br>US-PGPUB<br>; EPO;<br>JPO;<br>DERWENT; | 2002/11/<br>15 11:06 |      |                         | 0      |

|    | Ty<br>pe | L<br>#  | Hits | Search Text   | DBs  | Time<br>Stamp        | Comm<br>ents | Error<br>Definiti<br>on | Errors |
|----|----------|---------|------|---|--|----------------------|--------------|-------------------------|--------|
| 69 | BR<br>S  | L6<br>9 | 36   | 68 and ((telephone or tele-phone or adj number)   | USPAT;<br>US-PGPUB<br>; EPO;<br>JPO;<br>DERWENT; | 2002/11/<br>15 11:07 |              |                         | 0      |
| 70 | BR<br>S  | L7<br>0 | 197  | 11 and (database or<br>data-base or (data adj<br>base)) same (id or<br>identifier or<br>identification) | USPAT;<br>US-PGPUB<br>; EPO;<br>JPO;<br>DERWENT; | 2002/11/<br>15 11:23 |              |                         | 0      |
| 71 | BR<br>S  | L7<br>2 | 16   | 70 and state same city same ((telephone or tele-phone or phone) adj number)                             | USPAT;<br>US-PGPUB<br>; EPO;<br>JPO;<br>DERWENT; | 2002/11/<br>15 11:25 |              |                         | 0      |
| 72 | BR<br>S  | L7<br>3 | 13   | 72 and routing same<br>(database or<br>data-base or (data adj<br>base))                                 | USPAT;<br>US-PGPUB<br>; EPO;<br>JPO;<br>DERWENT; | 2002/11/<br>15 11:25 |              |                         | 0      |
| 73 | BR<br>S  | L7<br>4 | 87   | 70 and ((telephone or tele-phone or adj number)   | USPAT;<br>US-PGPUB<br>; EPO;<br>JPO;<br>DERWENT; | 2002/11/<br>15 11:25 |              |                         | 0      |
| 74 | BR<br>S  | L7<br>5 | 35   | 74 and routing same<br>(database or<br>data-base or (data adj<br>base))                                 | USPAT;<br>US-PGPUB<br>; EPO;<br>JPO;<br>DERWENT; | 2002/11/<br>15 11:25 |              |                         | 0      |

|   | Ty<br>pe |    | Hits | Search Text   | DBs  | Time<br>Stamp        | Comm<br>ents | Error<br>Definiti<br>on | Errors |
|---|----------|----|------|---|--|----------------------|--------------|-------------------------|--------|
| 1 | BR<br>S  | L2 | 8    | 1 and routing   | USPAT;<br>US-PGPUB<br>; EPO;<br>JPO;<br>DERWENT;           | 2002/11/<br>15 08:56 |              |                         | 0      |
| 2 | BR<br>S  | L3 | 7    | 1 and database near2<br>updat\$6  | USPAT;<br>US-PGPUB<br>; EPO;<br>JPO;<br>DERWENT;           | 2002/11/<br>15 08:41 |              |                         | 0      |
| 3 | BR<br>S  | L4 | 3    | 2 and 3   | USPAT;<br>US-PGPUB<br>; EPO;<br>JPO;<br>DERWENT;           | 2002/11/<br>15 08:34 |              |                         | 0      |
| 4 | BR<br>S  | L1 | 43   | ("4774655" or "4845658" or "5369763" or "5404295" or "5454105" or "5511186" or "5548770" or "5600831" or "5675785" or "5761663" or "5717748" or "5859972" or "5884304" or "5903636" or "5966712" or "6018733" or "6023696" or "6144958" or "6289339" or "6330555" or "6374241").pn. | USPAT;<br>US-PGPUB;<br>EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | 2002/11/<br>15 08:41 |              |                         | 0      |
| 5 | BR<br>S  | L5 | 2    | 1 and (7607/\$.ccls. or<br>379/\$.ccls.)  | USPAT;<br>US-PGPUB<br>; EPO;<br>JPO;<br>DERWENT;           | 2002/11/<br>15 08:41 |              |                         | 0      |
| 6 | BR<br>S  | L6 | 21   | 1 and (707/\$.ccls. or<br>379/\$.ccls.)   | USPAT;<br>US-PGPUB<br>; EPO;<br>JPO;<br>DERWENT;           | 2002/11/<br>15 08:44 |              |                         | 0      |

|    | Ty<br>pe |         | Hits      | Search Text   | DBs  | Time<br>Stamp        | Comm<br>ents | Error<br>Definiti<br>on | Errors |
|----|----------|---------|-----------|---|--|----------------------|--------------|-------------------------|--------|
| 7  | BR<br>S  | L7      | 5         | 6 and databases<br>near2 updat\$6                                       | USPAT;<br>US-PGPUB<br>; EPO;<br>JPO;<br>DERWENT; | 2002/11/<br>15 08:44 |              |                         | 0      |
| 8  | BR<br>S  | L8      | 3         | 6 and databases near<br>updat\$6  | USPAT;<br>US-PGPUB<br>; EPO;<br>JPO;<br>DERWENT; | 2002/11/<br>15 08:44 |              |                         | 0      |
| 9  | BR<br>S  | L9      | 2         | 6 and databases! near<br>updat\$6                                       | USPAT;<br>US-PGPUB<br>; EPO;<br>JPO;<br>DERWENT; | 2002/11/<br>15 08:45 |              |                         | 0      |
| 10 |          | :       | 8894<br>9 | 707/\$.ccls. or<br>379/\$.ccls.   | USPAT;<br>US-PGPUB<br>; EPO;<br>JPO;<br>DERWENT; | 2002/11/<br>15 08:58 |              |                         | 0      |
| 11 | BR<br>S  | L1<br>1 | 320       | 10 and databases!<br>near updat\$6                                      | USPAT;<br>US-PGPUB<br>; EPO;<br>JPO;<br>DERWENT; | 2002/11/<br>15 10:21 |              |                         | 0      |
| 12 | BR<br>S  | L1<br>2 | 73        | 11 and routing same<br>(database or<br>data-base or (data adj<br>base)) | USPAT;<br>US-PGPUB<br>; EPO;<br>JPO;<br>DERWENT; | 2002/11/<br>15 08:58 |              |                         | 0      |
| 13 | BR<br>S  | L1<br>3 | 1105      | updat\$6 near<br>(databases! or<br>data-bases! or (data<br>adj bases!)) | USPAT;<br>US-PGPUB;<br>EPO;<br>JPO;<br>DERWENT;  | 2002/11/<br>15 09:52 |              |                         | 0      |
| 14 | BR<br>S  | L1<br>4 | 349       | 13 and (707/\$.ccls. or<br>379/\$.ccls.)                                | USPAT;<br>US-PGPUB<br>; EPO;<br>JPO;<br>DERWENT; | 2002/11/<br>15 08:58 |              |                         | 0      |
| 15 | BR<br>S  | L1<br>5 | 75        | 14 and routing same<br>(database or<br>data-base or (data adj<br>base)) | USPAT;<br>US-PGPUB<br>; EPO;<br>JPO;<br>DERWENT; | 2002/11/<br>15 09:09 |              |                         | 0      |

|    | Ty<br>pe | ı       | Hits | Search Text  | DBs  | Time<br>Stamp        | Comm<br>ents | Error<br>Definiti<br>on | Errors |
|----|----------|---------|------|--|--|----------------------|--------------|-------------------------|--------|
| 16 | BR<br>S  | L1<br>6 | 52   | 14 and routing same server                                       | USPAT;<br>US-PGPUB<br>; EPO;<br>JPO;<br>DERWENT; | 2002/11/<br>15 09:53 |              |                         | 0      |
| 17 | BR<br>S  | L1<br>7 | 13   | 16 and routing same query  | USPAT;<br>US-PGPUB<br>; EPO;<br>JPO;<br>DERWENT; | 2002/11/<br>15 09:03 |              |                         | 0      |
| 18 | BR<br>S  | L1<br>8 | 20   | 15 and search\$3<br>near3 request\$6                             | USPAT;<br>US-PGPUB<br>; EPO;<br>JPO;<br>DERWENT; | 2002/11/<br>15 09:09 |              |                         | 0      |
| 19 | BR<br>S  | L1<br>9 | 3    | 18 and (modif\$6 or updat\$6) near9 (search\$3 near3 request\$6) | USPAT;<br>US-PGPUB<br>; EPO;<br>JPO;<br>DERWENT; | 2002/11/<br>15 09:08 |              |                         | 0      |
| 20 | BR<br>S  | L2<br>0 | 0    | 18 and (modif\$6) near9 (search\$3 near3 request\$6)             | USPAT;<br>US-PGPUB<br>; EPO;<br>JPO;<br>DERWENT; | 2002/11/<br>15 09:10 |              |                         | 0      |
| 21 | BR<br>S  | L2<br>1 | 130  | 14 and routing and (database or data-base or (data adj base))    | USPAT;<br>US-PGPUB<br>; EPO;<br>JPO;<br>DERWENT; | 2002/11/<br>15 09:35 |              |                         | 0      |
| 22 | BR<br>S  | L2<br>2 | 26   | 21 and search\$3<br>near3 request\$6                             | USPAT;<br>US-PGPUB<br>; EPO;<br>JPO;<br>DERWENT; | 2002/11/<br>15 09:09 |              | ,                       | 0      |
| 23 | BR<br>S  | L2<br>3 | 0    | 22 and (modif\$6)<br>near9 (search\$3 near3<br>request\$6)       | USPAT;<br>US-PGPUB<br>; EPO;<br>JPO;<br>DERWENT; | 2002/11/<br>15 09:10 |              |                         | 0      |
| 24 | BR<br>S  | L2<br>4 | 1    | 14 and (modif\$6)<br>near9 (search\$3 near3<br>request\$6)       | USPAT;<br>US-PGPUB<br>; EPO;<br>JPO;<br>DERWENT; | 2002/11/<br>15 09:10 |              |                         | 0      |

|    | Ty<br>pe |         | Hits | Search Text  | DBs  | Time<br>Stamp        | Comm<br>ents | Error<br>Definiti<br>on | Errors |
|----|----------|---------|------|--|--|----------------------|--------------|-------------------------|--------|
| 25 | BR<br>S  | L2<br>5 | 17   | 15 and server near3 (search or proxy)  | USPAT;<br>US-PGPUB<br>; EPO;<br>JPO;<br>DERWENT; | 2002/11/<br>15 10:36 |              |                         | 0      |
| 26 | BR<br>S  | L2<br>6 | 128  | 14 and (telephone or tele-phone or adj number  | USPAT;<br>US-PGPUB<br>; EPO;<br>JPO;<br>DERWENT; | 2002/11/<br>15 09:21 |              |                         | 0      |
| 27 | BR<br>S  | L2<br>7 | 29   | 14 and ((telephone or<br>tele-phone or phone)<br>adj number) same<br>state   | USPAT;<br>US-PGPUB<br>; EPO;<br>JPO;<br>DERWENT; | 2002/11/<br>15 09:18 |              |                         | 0      |
| 28 | BR<br>S  | L2<br>8 | 0    | 27 and city same state<br>same ((database or<br>data-base or (data adj<br>base)) adj (id or<br>identifier or<br>identification)) | US-PGPUB   | 2002/11/<br>15 09:20 |              |                         | 0      |
| 29 | BR<br>S  | L2<br>9 | 0    | 26 and city same state<br>same ((database or<br>data-base or (data adj<br>base)) adj (id or<br>identifier or<br>identification)) | US-PGPUB   | 2002/11/<br>15 09:20 |              |                         | 0      |
| 30 | BR<br>S  | L3<br>0 | 5    | 26 and city same state<br>and ((database or<br>data-base or (data adj<br>base)) adj (id or<br>identifier or<br>identification))  | US-PGPUB   | 2002/11/<br>15 09:43 |              |                         | 0      |
| 31 | BR<br>S  | L3      | 5    | 30 and (telephone or tele-phone or phone) adj number   | USPAT;<br>US-PGPUB<br>; EPO;<br>JPO;<br>DERWENT  | 2002/11/<br>15 09:21 |              |                         | 0      |
| 32 | BR<br>S  | L3<br>2 | 42   | 14 and routing near8 (database or data-base or (data adj base))  | USPAT;<br>US-PGPUB<br>; EPO;<br>JPO;<br>DERWENT  | 2002/11/<br>15 09:44 |              |                         | 0      |

|    | Ty<br>pe | L<br>#  | Hits | Search Text  | DBs   | Time<br>Stamp        | Comm<br>ents | Error<br>Definiti<br>on | Errors |
|----|----------|---------|------|--|---|----------------------|--------------|-------------------------|--------|
| 33 | BR<br>S  | L3<br>3 | 1    | ((   | USPAT;<br>US-PGPUB<br>; EPO;<br>JPO;<br>DERWENT;            | 2002/11/<br>15 09:44 |              |                         | 0      |
| 34 | BR<br>S  | L3<br>4 | 75   | 14 and routing same<br>(database or<br>data-base or (data adj<br>base))  | USPAT;<br>US-PGPUB<br>; EPO;<br>JPO;<br>DERWENT;            | 2002/11/<br>15 09:44 |              |                         | 0      |
| 35 | BR<br>S  | L3<br>5 | 3    | 34 and ((database or data-base or (data adj base)) adj (id or identifier or identification))                               | USPAT;<br>US-PGPUB<br>; EPO;<br>JPO;<br>DERWENT;            | 2002/11/<br>15 09:45 |              |                         | 0      |
| 36 | BR<br>S  | L3<br>6 | 0    | 14 and ((database or data-base or (data adj base)) adj (id or identifier or identification)) same state same city          | USPAT;<br>US-PGPUB<br>; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | 2002/11/<br>15 09:47 |              |                         | 0      |
| 37 | BR<br>S  | L3<br>7 | 2    | ((database or<br>data-base or (data adj<br>base)) adj (id or<br>identifier or<br>identification)) same<br>state same city  | USPAT;<br>US-PGPUB<br>; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | 2002/11/<br>15 09:46 |              |                         | 0      |
| 38 | BR<br>S  | L3<br>8 | 5    | 14 and ((database or data-base or (data adj base)) adj (id or identifier or identification)) and (state same city)         | USPAT;<br>US-PGPUB<br>; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | 2002/11/<br>15 09:50 |              |                         | 0      |
| 39 | BR<br>S  | L3<br>9 | 50   | ((database or<br>data-base or (data adj<br>base)) adj (id or<br>identifier or<br>identification)) and<br>(state same city) | USPAT;<br>US-PGPUB<br>; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | 2002/11/<br>15 09:51 |              |                         | 0      |

|    | Ty<br>pe |         | Hits | Search Text   | DBs   | Time<br>Stamp        | Comm<br>ents | Error<br>Definiti<br>on | Errors |
|----|----------|---------|------|---|---|----------------------|--------------|-------------------------|--------|
| 40 | BR<br>S  | L4<br>0 | 17   | ((database or data-base or (data adj base)) adj (id or identifier or identification)) and (state same city same ((telephone or tele-phone or phone) adj number))        | USPAT;<br>US-PGPUB<br>; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | 2002/11/<br>15 10:21 |              |                         | 0      |
| 41 | BR<br>S  | L4<br>1 | 5    | 40 and updat\$6 near (databases! or data-bases! or (data adj bases!)) and routing   | USPAT;<br>US-PGPUB<br>; EPO;<br>JPO;<br>DERWENT;            | 2002/11/<br>15 09:53 |              |                         | 0      |
| 42 | BR<br>S  | L4<br>2 | 5    | 41 and routing same server  | USPAT;<br>US-PGPUB<br>; EPO;<br>JPO;<br>DERWENT;            | 2002/11/<br>15 10:00 |              |                         | 0      |
| 43 | BR<br>S  | L4<br>3 | 987  | databases! near<br>updat\$6   | USPAT;<br>US-PGPUB;<br>EPO;<br>JPO;<br>DERWENT;             | 2002/11/<br>15 10:32 |              |                         | 0      |
| 44 | BR<br>S  | L4<br>4 | 5    | 43 and ((database or data-base or (data adj base)) adj (id or identifier or identification)) and (state same city same ((telephone or tele-phone or phone) adj number)) | USPAT;<br>US-PGPUB<br>; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | 2002/11/<br>15 10:25 |              |                         | 0      |
| 45 | BR<br>S  | L4<br>6 | 14   | 45 and state same city same ((telephone or tele-phone or phone) adj number)   | USPAT;<br>US-PGPUB<br>; EPO;<br>JPO;<br>DERWENT;            | 2002/11/<br>15 10:36 |              |                         | 0      |
| 46 | BR<br>S  | L4<br>7 | 0    | 45 and ((database or<br>data-base or (data adj<br>base)) adj (id or<br>identifier or<br>identification))  | USPAT;<br>US-PGPUB<br>; EPO;<br>JPO;<br>DERWENT;            | 2002/11/<br>15 10:46 |              |                         | 0      |

|    | Ty<br>pe | l       | Hits | Search Text  | DBs  | Time<br>Stamp        | Comm | Error<br>Definiti<br>on | Errors |
|----|----------|---------|------|--|--|----------------------|------|-------------------------|--------|
| 47 | BR<br>S  | L4<br>8 | 13   | 45 and (routing adj<br>(code or field))  | USPAT;<br>US-PGPUB<br>; EPO;<br>JPO;<br>DERWENT; | 2002/11/<br>15 10:40 |      |                         | 0      |
| 48 | BR<br>S  | L4<br>5 | 37   | 43 and (database or data-base or (data adj base)) same search\$3 same routing      | USPAT;<br>US-PGPUB<br>; EPO;<br>JPO;<br>DERWENT; | 2002/11/<br>15 10:33 |      |                         | 0      |
| 49 | BR<br>S  | L4<br>9 | 7189 | database\$1 near<br>updat\$6   | USPAT;<br>US-PGPUB<br>; EPO;<br>JPO;<br>DERWENT; | 2002/11/<br>15 10:32 |      |                         | 0      |
| 50 | BR<br>S  | L5<br>0 | 90   | 49 and (database or data-base or (data adj base)) same search\$3 same routing      | USPAT;<br>US-PGPUB<br>; EPO;<br>JPO;<br>DERWENT; | 2002/11/<br>15 10:33 |      |                         | 0      |
| 51 | BR<br>S  | L5<br>1 | 17   | 50 and state same city same ((telephone or tele-phone or phone) adj number)        | USPAT;<br>US-PGPUB<br>; EPO;<br>JPO;<br>DERWENT; | 2002/11/<br>15 10:34 |      |                         | 0      |
| 52 | BR<br>S  | L5<br>2 | 18   | 45 and state and city<br>and ((telephone or<br>tele-phone or phone)<br>adj number) | USPAT;<br>US-PGPUB<br>; EPO;<br>JPO;<br>DERWENT; | 2002/11/<br>15 10:36 |      |                         | 0      |
| 53 | BR<br>S  | L5<br>4 | 16   | 53 and server near3 (search or proxy)  | USPAT;<br>US-PGPUB<br>; EPO;<br>JPO;<br>DERWENT; | 2002/11/<br>15 10:37 |      |                         | 0      |
| 54 | BR<br>S  | L5<br>3 | 26   | 50 and state and city<br>and ((telephone or<br>tele-phone or phone)<br>adj number) | USPAT;<br>US-PGPUB<br>; EPO;<br>JPO;<br>DERWENT; | 2002/11/<br>15 10:39 |      |                         | 0      |
| 55 | BR<br>S  | L5<br>5 | 15   | 50 and (routing adj<br>(code or field))  | USPAT;<br>US-PGPUB<br>; EPO;<br>JPO;<br>DERWENT; | 2002/11/<br>15 10:43 |      |                         | 0      |

|    | Ty<br>pe |         | Hits | Search Text  | DBs  | Time<br>Stamp        | Comm | Error<br>Definiti<br>on | Errors |
|----|----------|---------|------|--|--|----------------------|------|-------------------------|--------|
| 56 | BR<br>S  | L5<br>6 | 14   | 55 and search\$3 and quer\$6   | USPAT;<br>US-PGPUB<br>; EPO;<br>JPO;<br>DERWENT; | 2002/11/<br>15 10:46 |      |                         | 0      |
| 57 | BR<br>S  | L5<br>7 | 54   | 50 and search\$3 and quer\$6   | USPAT;<br>US-PGPUB<br>; EPO;<br>JPO;<br>DERWENT; | 2002/11/<br>15 10:46 |      |                         | 0      |
| 58 | BR<br>S  | L5<br>8 | 1    | 57 and (database or<br>data-base or (data adj<br>base)) adj (id or<br>identifier or<br>identification) | USPAT;<br>US-PGPUB<br>; EPO;<br>JPO;<br>DERWENT; | 2002/11/<br>15 10:48 |      |                         | 0      |
| 59 | BR<br>S  | L5<br>9 | 14   | 11 and (database or<br>data-base or (data adj<br>base)) adj (id or<br>identifier or<br>identification) | USPAT;<br>US-PGPUB<br>; EPO;<br>JPO;<br>DERWENT; | 2002/11/<br>15 10:48 |      |                         | 0      |

|    | Туре | L#  | Hits | Search Text  | DBs   |
|----|------|-----|------|--|---|
| 1  | BRS  | L1  | 944  | ((search\$3 or quer\$4) near6 (updat\$3 near4 database))   | USPAT; US-PGPUB;<br>EPO; JPO;<br>DERWENT; . |
| 2  | BRS  | L2  | 30   | 1 and ((indication or indicator or flag)<br>near9 ((updat\$3 or modif\$6) near4<br>record))            | USPAT; US-PGPUB;<br>EPO; JPO;<br>DERWENT;   |
| 3  | BRS  | L3  | 23   | 2 and address\$2 and ((telephone or tele-phone or phone) adj2 number)                                  | USPAT; US-PGPUB;<br>EPO; JPO;<br>DERWENT;   |
| 4  | BRS  | L5  | 0    | 4 and (707/3.ccls. or 379/\$.ccls.)  | USPAT; US-PGPUB;<br>EPO; JPO;<br>DERWENT;   |
| 5  | BRS  | L4  | 22   | 2 and address\$2 same ((telephone or tele-phone or phone) adj2 number)                                 | USPAT; US-PGPUB;<br>EPO; JPO;<br>DERWENT;   |
| 6  | BRS  | L6  | 22   | 4 and (updat\$3 near4 databases!)  | USPAT; US-PGPUB;<br>EPO; JPO;<br>DERWENT;   |
| 7  | BRS  | L7  | 239  | 1 and (updat\$3 near4 databases!)  | USPAT; US-PGPUB;<br>EPO; JPO;<br>DERWENT;   |
| 8  | BRS  | L9  | 0    | 8 and state! same ((telephone or tele-phone or phone) adj2 number)                                     | USPAT; US-PGPUB;<br>EPO; JPO;<br>DERWENT;   |
| 9  | BRS  | L10 | 23   | 8 and ((telephone or tele-phone or phone) adj2 number)   | USPAT; US-PGPUB;<br>EPO; JPO;<br>DERWENT;   |
| 10 | BRS  | L8  | 25   | 7 and ((indication or indicator or flag) near9 ((updat\$3 or modif\$6) near4 record))                  | USPAT; US-PGPUB;<br>EPO; JPO;<br>DERWENT;   |
| 11 | BRS  | L11 | 10   | 7 and routing same query same search\$3  | USPAT; US-PGPUB;<br>EPO; JPO;<br>DERWENT;   |
| 12 | BRS  | L12 | 9    | 11 and (city or state) same ((telephone or tele-phone or phone) adj2 number)                           | USPAT; US-PGPUB;<br>EPO; JPO;<br>DERWENT;   |
| 13 | BRS  | L13 | 2    | 11 and (city or state) same ((telephone or tele-phone or phone) adj2 number) same (database or record) | USPAT; US-PGPUB;<br>EPO; JPO;<br>DERWENT;   |
| 14 | BRS  | L14 | 1078 | routing adj4 database  | USPAT; US-PGPUB;<br>EPO; JPO;<br>DERWENT;   |
| 15 | BRS  | L15 | 477  | 14 and ((search\$3 or quer\$4) near6 database)   | USPAT; US-PGPUB;<br>EPO; JPO;<br>DERWENT;   |

| <b>.</b> | Туре | L#  | Hits | Search Text  | DBs                                       |
|----------|------|-----|------|--|---|
| 16       | BRS  | L16 | 218  | 15 and (updat\$3 near4 database)   | USPAT; US-PGPUB;<br>EPO; JPO;<br>DERWENT; |
| 17       | BRS  | L17 | 79   | 16 and (updat\$3 near4 databases!)   | USPAT; US-PGPUB;<br>EPO; JPO;<br>DERWENT; |
| 18       | BRS  | L18 | 5    | 17 and ((indication or indicator or flag) near9 ((updat\$3 or modif\$6) near4 record)) | USPAT; US-PGPUB;<br>EPO; JPO;<br>DERWENT; |
| 19       | BRS  | L20 | 0    | 18 and routing adj database  | USPAT; US-PGPUB;<br>EPO; JPO;<br>DERWENT; |
| 20       | BRS  | L21 | 353  | routing adj database   | USPAT; US-PGPUB;<br>EPO; JPO;<br>DERWENT; |
| 21       | BRS  | L22 | 169  | 21 and ((search\$3 or quer\$4) near6 database)   | USPAT; US-PGPUB;<br>EPO; JPO;<br>DERWENT; |
| 22       | BRS  | L23 | 80   | 22 and (updat\$3 near4 database)   | USPAT; US-PGPUB;<br>EPO; JPO;<br>DERWENT; |
| 23       | BRS  | L25 | 0    | 24 and ((indication or indicator or flag) near9 ((updat\$3 or modif\$6) near4 record)) | USPAT; US-PGPUB;<br>EPO; JPO;<br>DERWENT; |
| 24       | BRS  | L26 | 1    | 24 and (indication or indicator or flag) near9 (updat\$3 or modif\$6)                  | USPAT; US-PGPUB;<br>EPO; JPO;<br>DERWENT; |
| 25       | BRS  | L24 | 32   | 23 and (updat\$3 near4 databases!)   | USPAT; US-PGPUB;<br>EPO; JPO;<br>DERWENT; |
| 26       | BRS  | L27 | 47   | 21 same (updat\$3 near4 database)  | USPAT; US-PGPUB;<br>EPO; JPO;<br>DERWENT; |
| 27       | BRS  | L28 | 20   | 21 same (updat\$3 near4 databases!)  | USPAT; US-PGPUB;<br>EPO; JPO;<br>DERWENT; |
| 28       | BRS  | L29 | 353  | "routing database"   | USPAT; US-PGPUB;<br>EPO; JPO;<br>DERWENT; |
| 29       | BRS  | L30 | 20   | 29 same (updat\$3 near6 databases!)  | USPAT; US-PGPUB;<br>EPO; JPO;<br>DERWENT; |
| 30       | BRS  | L31 | 3    | 30 and ((search\$3 or quer\$4) near6 database)   | USPAT; US-PGPUB;<br>EPO; JPO;<br>DERWENT; |

|    | Туре | L#  | Hits | Search Text  | DBs                                       |
|----|------|-----|------|--|---|
| 31 | BRS  | L32 | 3    | 30 and ((search\$3 or quer\$4) near9 database)                           | USPAT; US-PGPUB;<br>EPO; JPO;<br>DERWENT; |
| 32 | BRS  | L33 | 527  | routing near database  | USPAT; US-PGPUB;<br>EPO; JPO;<br>DERWENT; |
| 33 | BRS  | L34 | 25   | 33 same (updat\$3 near4 databases!)                                      | USPAT; US-PGPUB;<br>EPO; JPO;<br>DERWENT; |
| 34 | BRS  | L35 | 3    | 34 and (indication or indicator or flag) near9 (updat\$3 or modif\$6)    | USPAT; US-PGPUB;<br>EPO; JPO;<br>DERWENT; |
| 35 | BRS  | L36 | 0    | 35 and ((search\$3 same quer\$4) same database)                          | USPAT; US-PGPUB;<br>EPO; JPO;<br>DERWENT; |
| 36 | BRS  | L37 | 0    | 35 and ((search\$3 same quer\$4) near6 database)                         | USPAT; US-PGPUB;<br>EPO; JPO;<br>DERWENT; |
| 37 | BRS  | L38 | 305  | ((search\$3 same quer\$4) near6<br>database)                             | USPAT; US-PGPUB;<br>EPO; JPO;<br>DERWENT; |
| 38 | BRS  | L39 | 4    | 33 and 38  | USPAT; US-PGPUB;<br>EPO; JPO;<br>DERWENT; |
| 39 | BRS  | L40 | 1    | 39 and (updat\$3 near4 databases!)                                       | USPAT; US-PGPUB;<br>EPO; JPO;<br>DERWENT; |
| 40 | BRS  | L41 | 3    | 39 and (updat\$3 near4 database\$1)                                      | USPAT; US-PGPUB;<br>EPO; JPO;<br>DERWENT; |
| 41 | BRS  | L42 | 18   | 38 and (updat\$3 near4 databases!)                                       | USPAT; US-PGPUB;<br>EPO; JPO;<br>DERWENT; |
| 42 | BRS  | L43 | 1    | ((search\$3 same quer\$4 same routing)<br>near6 database)                | USPAT; US-PGPUB;<br>EPO; JPO;<br>DERWENT; |
| 43 | BRS  | L44 | 103  | 38 and (updat\$3 near4 database\$1)                                      | USPAT; US-PGPUB;<br>EPO; JPO;<br>DERWENT; |
| 44 | BRS  | L45 | 10   | 44 and (indication or indicator or flag)<br>near9 (updat\$3 or modif\$6) | USPAT; US-PGPUB;<br>EPO; JPO;<br>DERWENT; |
| 45 | BRS  | L46 | 0    | 45 and routing near6 database  | USPAT; US-PGPUB;<br>EPO; JPO;<br>DERWENT; |

|    | Туре | L#  | Hits | Search Text                   | DBs                                       |
|----|------|-----|------|-------------------------------|---|
| 46 | BRS  | L47 | 5    | 42 and routing near6 database | USPAT; US-PGPUB;<br>EPO; JPO;<br>DERWENT; |

•



> home | > about | > feedback | > login US Patent & Trademark Office

## Search Results

Search Results for: [geographically<AND>((databases and update<AND>(("query routing") )) )]
Found 4 of 102,695 searched. 

Rerun within the Portal

Search within Results

> Advanced Search | > Search Help/Tips

Sort by: Title Publication Publication Date Score Binder

Results 1 - 4 of 4 short listing

**1** Industrial sessions: middle-tier caching: Middle-tier database ☑ caching for e-business 77%

77%

Qiong Luo , Sailesh Krishnamurthy , C. Mohan , Hamid Pirahesh , Honguk Woo , Bruce G. Lindsay , Jeffrey F. Naughton Proceedings of the ACM SIGMOD international conference on Management of data June 2002

While scaling up to the enormous and growing Internet population with unpredictable usage patterns, E-commerce applications face severe challenges in cost and manageability, especially for database servers that are deployed as those applications' backends in a multi-tier configuration. Middle-tier database caching is one solution to this problem. In this paper, we present a simple extension to the existing federated features in DB2 UDB, which enables a regular DB2 instance to become a DBCache wi ...

2 OceanStore: an architecture for global-scale persistent storage

☑ John Kubiatowicz , David Bindel , Yan Chen , Steven Czerwinski ,
Patrick Eaton , Dennis Geels , Ramakrishna Gummadi , Sean Rhea ,
Hakim Weatherspoon , Chris Wells , Ben Zhao
Proceedings of the ninth international conference on Architectural support for programming languages and operating systems November 2000

OceanStore is a utility infrastructure designed to span the globe and provide continuous access to persistent information. Since this infrastructure is comprised of untrusted servers, data is protected through redundancy and cryptographic techniques. To improve





performance, data is allowed to be cached anywhere, anytime. Additionally, monitoring of usage patterns allows adaptation to regional outages and denial of service attacks; monitoring also enhances performance through pro-active movement ...

3 OceanStore: an architecture for global-scale persistent storage

☑ John Kubiatowicz , David Bindel , Yan Chen , Steven Czerwinski ,
Patrick Eaton , Dennis Geels , Ramakrishan Gummadi , Sean Rhea ,
Hakim Weatherspoon , Westley Weimer , Chris Wells , Ben Zhao
ACM SIGPLAN Notices November 2000
Volume 35 Issue 11

77%

77%


4 Making global digital libraries work: collection services,

d connectivity regions, and collection views
Carl Lagoze, David Fielding, Sandra Payette
Proceedings of the third ACM conference on Digital libraries May 1998

#### Results 1 - 4 of 4 short listing

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2002 ACM, Inc.





## Search Results

## **Nothing Found**


Your search for the *Phrase* network <near/2> database<AND>(("query routing")) did not return any results.
To search for *terms* separate them with AND or OR.
Click on the suggested options:

network AND <near/2> AND database<AND>(("query AND routing") AND )
network OR OR database(("query OR routing") OR )


To search for names try using only the last or first name.

You can try to rerun it within the Portal.

You may revise it and try your search again below or click advanced search for more options.



### Help/Tips]



## The following characters have specialized meaning:

| Special Characters | Description   |
|--------------------|---|
| , ( ) [            | These characters end a text token.  |
|                    | These characters end a text token because they signify the start of a field operator. (! is special: != ends a token.)                  |
|                    | These characters signify the start of a delimited token. These are terminated by the end character associated with the start character. |



> home | > about | > feedback | > login US Patent & Trademark Office

## Search Results

Search Results for: [update <near/4> databases<AND>((routing <near/4> query <AND>((network <near/2> databases))))]
Found 3 of 102,695 searched. Rerun within the Portal

Search within Results

> Advanced Search : > Search Help/Tips

Sort by: Title Publication Publication Date Score Binder

Results 1 - 3 of 3 short listing

**1** Query optimization in star computer networks

99%

Larry Kerschberg, Peter D. Ting, S. Bing Yao
ACM Transactions on Database Systems (TODS) December 1982
Volume 7 Issue 4

Query processing is investigated for relational databases distributed over several computers organized in a star network. Minimal response-time processing strategies are presented for queries involving the select, project, and join commands. These strategies depend on system parameters such as communication costs and different machine processing speeds; database parameters such as relation cardinality and file size; and query parameters such as estimates of the size and number of tuples in ...

**2** A survey of routing techniques for mobile communications dispersions

99%

S. Ramanathan , Martha Steenstrup Mobile Networks and Applications October 1996 Volume 1 Issue 2

Mobile wireless networks pose interesting challenges for routing system design. To produce feasible routes in a mobile wireless network, a routing system must be able to accommodate roving users, changing network topology, and fluctuat- ing link quality. We discuss the impact of node mobility and wireless communication on routing system design, and we survey the set of techniques employed in or proposed for routing in mobile wireless networks.



**3** CNMGRAF— graphic presentation services for network 

☐ management

98%

Richard S. Gilbert , Wolfgang B. Kleinöoder ACM SIGCOMM Computer Communication Review , Proceedings of the ninth symposium on Data communications September 1985 Volume 15 Issue 4

Two key problems in the design of systems and network management applications are: how to efficiently manage large quantities of related data, and how to allow the application user to view this data at a user-defined level of detail. This paper describes an architecture for network management facilities that may help solve these problems. It also describes CNMgraf (Communications Network Management Graphics Facility), which was developed to test the presentation service model defined by thi ...

#### Results 1 - 3 of 3 short listing

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2002 ACM, Inc.



ieee home : search ieee | shop | web account | contact ieee



| Membership               | Publications/Services                  | Standards | Conferences | Careers/Joba   |
|--------------------------|--|-----------|-------------|--|
|                          | E Xplore                               |           |             | Welcome<br>Jnited States Patent and Trademark Office |
| Help FAQ<br>IEEE Peer Re | ······································ | Links     |             | → Abstract   |

#### Welcome to IEEE Appora-

- O- Home
- O- What Can I Access?
- C-los-out

#### Tables of Confents

- O- Journals & Magazines
- O- Conference Proceedings
- O- Standards

### Centri

- O- By Author
- O- Basic
- O Advanced

#### Member Services

Or Join IEEE
Or Establish IEEE
Web Account

Print Format

### SEARCH RESULTS [PDF Full-Text (360 KB)] PREVIOUS NEXT

#### DOWNLOAD CITATION

Query routing: applying systems thinking to Internet search

- Leach, P.J. Weider, C.

Microsoft Corp., Redmond, WA, USA

This paper appears in: Operating Systems, 1997., The Sixth Workshop

on Hot Topics in On page(s): 82 - 86 5-6 May 1997 Cape Cod, MA, USA

1997

ISBN: 0-8186-7834-8

IEEE Catalog Number: 97TB100133

Number of Pages: xi+141 References Cited: 10

INSPEC Accession Number: 5602946

#### Abstract:

As the Internet continues to grow exponentially, locating desired information becomes more difficult. Centralized approaches to the problem may prove unable to cope with this growth, and existing distributed ones do not scale well either, so it would be wise to investigate alternatives. One alternative is 'query routing', a technology which uses compressed indices from multiple sites to 'route' queries to where they may be able to be fulfilled. By using a referral model for the clients, it should be possible to provide a service which scales for both clients and servers. Server scaling is achieved by index compression along several novel axes. Allowing the generation of false positives permits the use of techniques which have higher compression. We have been able to add techniques from distributed naming systems such as DNS to traditional indexing based on flat sets of attribute value pairs. We have implemented a prototype that incorporates several of these techniques.

#### **Index Terms:**

Internet information retrieval indexing client-server systems query processing query routing systems thinking Internet search compressed indices multiple sites referral model clients server scaling index compression distributed naming systems DNS flat sets attribute value pairs information retrieval client/server systems

#### **Documents that cite this document**

Select link to view other documents in the database that cite this one.

SEARCH RESULTS [PDF Full-Text (360 KB)] PREVIOUS NEXT DOWNLOAD CITATION





Home | Log-out | Journals | Conference Proceedings | Standards | Search by Author | Basic Search |

Advanced Search

Join IEEE | Web Account | New this week | OPAC Linking Information | Your Feedback | Technical Support | Email Alerting
No Robots Please | Release Notes | IEEE Online Publications | Help | FAQ| Terms | Back to Top

Copyright © 2002 IEEE --- All rights reserved

ieee home : search ieee : shop : web account : contact ieee





| Membership Public  | ations/Services Standards Conferences  | Careersiloba   |  |  |  |  |  |
|--|--|--|--|--|--|--|--|
| laa:   | Xplore*  | Welcome<br>United States Patent and Trademark Office   |  |  |  |  |  |
| Help FAQ Term<br>Pear Review   | IS IEEE Quick Links  | ▼ Search Result  |  |  |  |  |  |
| O- Home O- What Can I Access? O- Log-out  But soil Course O- Journals & Magazines O- Conference Proceedings O- Standards | Your search matched <b>14</b> of <b>808269</b><br>Results are shown <b>15</b> to a page, sor     | documents.<br>ted by <b>publication year</b> in <b>descending</b> order.<br>ng the current search expression or entering a new one |  |  |  |  |  |
| O. Sraugares   | Journal or Magazine = <b>JNL</b> Conference = <b>CNF</b> Standard = <b>STD</b>                   |  |  |  |  |  |  |
| O By Author Basic Advanced   | 1 <b>Distributed search in Pa</b> <i>Waterhouse, S.; Doolin, D.M</i> IEEE Internet Computing , V |  |  |  |  |  |  |
| Manuel Serves  O- Join IEEE  O- Eslablish IEEE  Web Account  | Page(s): 68 -72  [Abstract] [PDF Full-Text (3  | 382 KB)] <b>JNL</b>  |  |  |  |  |  |
| A Print Format   | •  |  |  |  |  |  |  |

2 Cache-aware query routing in a cluster of databases

Rohm, U.; Bohm, K.; Schek, H.-J.

Data Engineering, 2001. Proceedings. 17th International Conference

on, 2001

Page(s): 641 -650

#### [Abstract] [PDF Full-Text (852 KB)] CNF

### 3 eBroker: an agent-based query routing system for distributed E-commerce databases

Yong Lin; Ee-Peng Lim; Wee-Keong Ng Parallel and Distributed Systems, 2000. Proceedings. Seventh International Conference on , 2000

Page(s): 517 -522

#### [Abstract] [PDF Full-Text (464 KB)] CNF

### 4 An architecture of the distributed multimedia information retrieval network with query routing systems

Kawasaki, Y.; Sunahara, H.

Multimedia and Expo, 2000. ICME 2000. 2000 IEEE International

Conference on , Volume: 2 , 2000



Page(s): 1179 -1182 vol.2

#### [Abstract] [PDF Full-Text (412 KB)] CNF

# 5 A query propagation approach to improve CORBA Trading Service scalability

Tari, Z.; Craske, G.
Distributed Computing Systems, 2000. Proceedings. 20th
International Conference on , 2000
Page(s): 504 -511

#### [Abstract] [PDF Full-Text (84 KB)] CNF

# 6 A hierachical location management architecture for wireless ATM networks

Kim, H.C.; Biswas, S.K.

Global Telecommunications Conference, 1999. GLOBECOM '99,

Volume: 1a, 1999

Page(s): 251 -258 vol.1a

#### [Abstract] [PDF Full-Text (764 KB)] CNF

# 7 Integration of diverse hypermedia link servers using request routing

De Roure, D.; Walker, N.; Carr, L.

Database and Expert Systems Applications, 1999. Proceedings. Tenth

International Workshop on , 1999

Page(s): 667 -671

#### [Abstract] [PDF Full-Text (64 KB)] CNF

#### 8 Metrics for evaluating database selection techniques

French, J.C.; Powell, A.L.

Database and Expert Systems Applications, 1999. Proceedings. Tenth International Workshop on , 1999

Page(s): 726 -730

#### [Abstract] [PDF Full-Text (92 KB)] CNF

#### 9 Query routing in large-scale digital library systems

Ling Liu

Data Engineering, 1999. Proceedings., 15th International Conference on , 1999

Page(s): 154 -163



### [Abstract] [PDF Full-Text (280 KB)] CNF

## 10 DOK-Trader: a CORBA persistent trader with query routing facilities

Craske, G.; Tari, Z.; Kumar, K.R.

Distributed Objects and Applications, 1999. Proceedings of the International Symposium on , 1999

Page(s): 230 -240

#### [Abstract] [PDF Full-Text (124 KB)] CNF

### 11 Cooperative agents in distributed indexing and retrieval

Miguel Rio; Macedo, J.; Freitas, V. Intelligent Processing Systems, 1997. ICIPS '97. 1997 IEEE International Conference on , Volume: 1 , 1997 Page(s): 165 -169 vol.1

#### [Abstract] [PDF Full-Text (492 KB)] CNF

## 12 Query routing: applying systems thinking to Internet search

Leach, P.J.; Weider, C.
Operating Systems, 1997., The Sixth Workshop on Hot Topics in , 1997
Page(s): 82 -86

#### [Abstract] [PDF Full-Text (360 KB)] CNF

# 13 A dynamic query scheduling framework for distributed and evolving information systems


Ling Liu; Pu, C.
Distributed Computing Systems, 1997., Proceedings of the 17th International Conference on , 1997
Page(s): 474 -481

#### [Abstract] [PDF Full-Text (736 KB)] CNF

# 14 An adaptive approach to query mediation across heterogeneous information sources

Liu, L.; Pu, C.; Lee, Y.
Cooperative Information Systems, 1996. Proceedings., First IFCIS
International Conference on , 1996
Page(s): 144 -156





Home | Log-out | Journals | Conference Proceedings | Standards | Search by Author | Basic Search | Advanced Search | Join IEEE | Web Account | New this week | OPAC Linking Information | Your Feedback | Technical Support | Email Alerting | No Robots Please | Release Notes | IEEE Online Publications | Help | FAQ| Terms | Back to Top

Copyright © 2002 IEEE — All rights reserved



HEER HOME : SEARCH HEER | SHOP | WEB ACCOUNT | CONTACT HEER



| Kembership Public   | NOTO CONTENDED STANDARDS CONFERENCES  | Careers/Joba<br>Welcome<br>United States Patent and Tra   | idemark Office           |
|---|---|---|--------------------------|
| Help EAQ Term<br>Pear Review  | s IEEE Quick Links  | .₹  | » Search Result          |
| Home  - What Can I Access? - Log-out  - Journals - Magazines - Conference - Proceedings - Standards | Your search matched 1 of 808269 d Results are shown 15 to a page, sor You may refine your search by editir the text box. Then click Search Again.  databases and (query <near 4=""> ro  Search Again  Results: Journal or Magazine = JNL Confere</near> | ted by <b>publication year</b> in <b>des</b> ign the current search expression uting) and (update < near/5 > date of the design of the desi | or entering a new one    |
| By Author Rasit Advanced  Join IEEE Establish IEEE Web Account                                      | 1 A model for determining allocation in computer ne Raghuram, A.; Morgan, T.W. Computers and Communicat Eighth Annual International Page(s): 461 -472  [Abstract] [PDF Full-Text (7)]   | tworks<br>; Julien-Laferriere, P.; Stil<br>ions, 1989. Conference Pr<br>Phoenix Conference on , 1   | les, G.S.<br>oceedings., |

Home | Log-out | Journals | Conference Proceedings | Standards | Search by Author | Basic Search | Advanced Search | Join IEEE | Web Account | New this week | OPAC Linking Information | Your Feedback | Technical Support | Email Alerting | No Robots Please | Release Notes | IEEE Online Publications | Help | FAQ | Terms | Back to Top

Copyright © 2002 IEEE — All rights reserved



HEER HOME ! SEARCH HEER ! SHOP | WEB ACCOUNT ! CONTACT HEER

**♦IEEE** 

Publications/Services Standards Conferences Welcome United States Patent and Trademark Office RELEASE TA » Abstract <u>Help FAO Terms</u> **Quick Links** IEEE Peer Review

#### Welcome to IEEE Xplore

- O- Home
- What Can Access?
- O- Log-out

#### **Tables of Contents**

- O- Journals & Magazines
- O- Conference Proceedings
- O- Standards

#### Search

- O- By Author
- O-Basic
- C Advanced

#### dember Services

Or Join IEEE C Fatablish IEEE Web Account

Print Format

#### [PDF Full-Text (756 KB)] SEARCH RESULTS

DOWNLOAD CITATION

A model for determining the optimal topology and database allocation in computer networks

- Raghuram, A. Morgan, T.W. Julien-Laferriere, P. Stiles, G.S. Center for Comput. Inf. Networks Res., Drexel Univ., Philadelphia, PA, USA

This paper appears in: Computers and Communications, 1989. Conference Proceedings., Eighth Annual International Phoenix

Conference on

On page(s): 461 - 472 22-24 March 1989 Scottsdale, AZ, USA

1989

ISBN: 0-8186-1918-x Number of Pages: xix+641 References Cited: 26

INSPEC Accession Number: 3471615

#### Abstract:

The authors propose a comprehensive model to be used in the design of distributed database networks. The designer has a number of decisions to make, including the allocation of databases to nodes, the location and capacity of communication lines between the nodes, and the amount of computational power required at each node. The designer must consider storage and maintenance costs of the databases, the expected traffic from each node to each database, and the desired time of a response to queries and updates to the databases. The proposed model considers these factors and, in addition, routing of the queries and updates; both one- and two-hop paths are included. The model accounts for the costs of the communication lines and processors, the storage and maintenance costs of databases, and the communication costs of queries and updates. The traffic from each node to each database is specified by the designer. Given a maximum desired response time to a query or update, the design goal becomes the minimization of the total operating cost of the network.

#### Index Terms:

model optimal topology database allocation computer networks capacity communication lines computational power storage maintenance costs minimization computer networks distributed databases

#### Documents that cite this document

Select link to view other documents in the database that cite this one.

SEARCH RESULTS [PDF Full-Text (756 KB)] DOWNLOAD CITATION





Home | Log-out | Journals | Conference Proceedings | Standards | Search by Author | Basic Search |

Advanced Search

Join IEEE | Web Account | New this week | OPAC Linking Information | Your Feedback | Technical Support | Email Alerting
No Robots Please | Release Notes | IEEE Online Publications | Help | FAQ| Terms | Back to Top

Copyright © 2002 IEEE - All rights reserved